(July 1992)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPLICATE*

FORM APPROVED

OMB NO. 1040-0136 Expires: February 28, 1995

5. LEASE DESIGNATION AND SERIAL NO. UTU-0806

			6. IF INDIAN, ALLOTTEE OR TRIBE NAME
APPLICATION FOR PERMIT	TO DRILL OF	RDEEPEN	UTE TRIBE
TYPE OF WORK			7. UNIT AGREEMENT NAME
DRILL ☑			WONSITS VALLEY UNIT
TYPE OF WELL			8. FARM OR LEASE NAME, WELL NO.
	✓ MULTIPLE		
OIL WELL GAS WELL OTHER ZONE	ZONE		WV 7AML-12-8-21
· ·	Contact: Jan Nels	on	
QUESTAR EXPLORATION & PRODUCTION, CO.	E-Mail: ja	an.nelson@questar.com	9.API NUMBER: 43.047-39035
	Telphone number	· · · · · · · · · · · · · · · · · · ·	10. FIELD AND POOL, OR WILDCAT
1571 E 1700 S VERNAL, UT 84078	Phone <u>435-</u>	781-4032 Fax 435-781-4045	WONSITS VALLEY
4. LOCATION OF WELL (Report location clearly and in acc	cordance with and	State requirements*)	11. SEC.,T, R, M, OR BLK & SURVEY OR AREA
At Surface 1.27988 1446' FNL 1368' FEL S	WNE SECTION 12	2 T8S R21E	
At proposed production zone 4444391 4	0.142009.	109.497557	SEC. 12, T8S, R21E Mer SLB
14. DISTANCE IN MILES FROM NEAREST TOWN OR POST	TOFFICE*		12. COUNTY OR PARISH 13. STATE
10 + / - EAST OF OURAY, UTAH		MANO OF ACRES IN LEAST	Uintah UT 17, NO, OF ACRES ASSIGNED TO THIS WELL
15. DISTANCE FROM PROPOSED LOCATION TO NEARES	ST .	16.NO.OF ACRES IN LEASE	17. NO. OF ACRES ASSIGNED TO THIS WELL
PROPERTY OR LEASE LINE, FT. (also to nearest drig,unit line if any)		2480.00	20
1368' +/-		2400.00	
18.DISTANCE FROM PROPOSED location to nearest well,	drilling.	19. PROPOSED DEPTH	20. BLM/BIA Bond No. on file
completed, applied for, on this lease, ft	g,		ESB000024
920' +/-		11,805'	
21. ELEVATIONS (Show whether DF, RT, GR, ect.)		22. DATE WORK WILL START	23. Estimated duration
5051.7' GR ASAP		14 Days	
24. Attachments			
The following,completed in accordance with the requirme	nts of Onshore Oil	l and Gas Order No. 1, shall be att	ached to this form:
Well plat certified by a registered surveyor.		4. Bond to cover the operations unless	covered by an exisiting bond on file (see
2. A Drilling Plan 3. A surface Use Plan (if location is on National Forest System Lar	ada	Item 20 above).	
the SUPO shall be filed with the appropriate Forest Service Office		5. Operator certification.	Mark and the second and by the
the SOFO shall be filed with the appropriate rolest Service Office	.c).	,	and/or plans as may be required by the
		authorized officer.	
SIGNED AMY SIGNED	Name (printed/type	ed) Jan Nelson	DATE 2-1-07
TITLE Regulatory Affairs		_	
(This space for Federal or State office use)	-	<u> </u>	The state of the s
110 200			
PERMIT NO. 43-047-39035	APPROVA		
application approval does not warrant or certify the application tools any legal or equitable title to the CONDITIONS OF APPROVAU FANY:	-	rhich would entitle the applicant to conduct operations the	(TO UI
COMBINIONS OF AFFICE AND	RHAL	DLEY G. HILL	
APPROVED BY	ENVIRON	IMENTAL MANAGER	DATE 02-08-07
Charles Comments		ctions On Reverse Side	<u> </u>


Federal Approval of this Action is Necessary

Title 18 U.S.C Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any mater within its jurisdiction

RECEIVED

FEB 0 5 2007





QUESTAR EXPLR. & PROD.


Well location, WV #7AML-12-8-21, located us shown in the SW 1/4 NE 1/4 of Section 12, T8S, R21E, S.L.B.&M., Uintah County, Utah.

BASIS OF ELEVATION

BENCH MARK 20EAM LOCATED IN THE SE 1/4 OF SECTION 35, T8S, R21E, S.L.B.&M. TAKEN FROM THE OURAY SE, QUADRANGLE, UTAH, UINTAH COUNTY, 7.5 MINUTE QUAD. (TOPOGRAPHIC MAP) PUBLISHED BY THE UNITED STATES DEPARTMENT OF THE INTERIOR, GEOLOGICAL SURVEY. SAID ELEVATION IS MARKED AS BEING 4697 FEET.

BASIS OF BEARINGS

BASIS OF BEARINGS IS A G.P.S. OBSERVATION.



CERTIFICATE

THIS IS TO CERTIFY THAT THE AROYS PLAT WAS PREMARED FROM FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER THY SUPERVISION AND THAT THE SAME ARE TRUE TO THE BEST OF MY KNOWLEDGE AND BELLING.

REGISTERED LAND SURVEYOR:
REGISTERATION NO. 151310

UINTAH ENGINEERING & LAND SURVEYING 85 SOUTH 200 EAST - VERNAL, UTAH 84078

(435) 789–1017

SCALE DATE SURVEYED: DATE DRAWN: 1" = 1000'09-19-06 09-26-06 PARTY REFERENCES D.A. J.B. D.R.B. G.L.O. PLAT WEATHER FILE COOL QUESTAR EXPLR. & PROD.

Additional Operator Remarks

Questar Explor. & Prod. Co. proposes to drill a well to 11,805' to test the MesaVerde. If productive, casing will be run and the well completed. If dry, the well will be plugged and abandoned as per BLM and State of Utah requirements"

Please see Questar Explor. & Prod. Co.Standard Operating Practices dated October 18, 2005, for Mesa Verde Formation Wells located in Red Wash, Wonsits Valley, Gypsum Hills, White River, Glen Bench, and Undesignated fields in Townships 07, 08 and 09 South, Ranges 21 to 25 East.

Please be advised that Questar Explor. & Prod. Co. agrees to be responsible under the terms and conditions of the lease for the operations conducted upon the lease lands.

Bond coverage for this well is provided by Bond No.ESB000024. The principal is Questar Explor. & Prod. Co. via surety as consent as provided for the 43 CFR 3104.2.

Questar Exploration & Production, Co. WV 7AML-12-8-21

ONSHORE OIL & GAS ORDER NO. 1 Approval of Operations on Onshore Federal Oil and Gas Leases

All lease and/or unit operations will be conducted in such a manner that full compliance is made with applicable laws, regulations (43 CFR 3100), Onshore Oil and Gas No. 1, and the approved plan of operations. The operator is fully responsible for the actions of his subcontractors. A copy of these conditions will be furnished the field representative to insure compliance.

1. Formation Tops

The estimated tops of important geologic markers are as follows:

Formation	Depth
Uinta	Surface
Green River	3090'
Mahogany Ledge	3825'
Wasatch	6405'
Mesa Verde	9215'
Sego	11,655'
TĎ	11,805

2. Anticipated Depths of Oil, Gas, Water and Other Mineral Bearing Zones

The estimated depths at which the top and bottom of the anticipated water, oil, gas or other mineral bearing formations are expected to be encountered are as follows:

Substance	Formation	Depth
Oil/Gas	Mesa Verde	11,805'


All fresh water and prospectively valuable minerals encountered during drilling, will be recorded by depth and adequately protected. All oil and gas shows will be tested to determine commercial potential.


All water shows and water-bearing sands will be reported to the BLM in Vernal, Utah. Copies of State of Utah form OGC-8-X are acceptable. If no flows are detected, samples will be submitted to the BLM along with any water analyses conducted.

3. Anticipated Bottom Hole Pressures

Maximum anticipated bottom hole pressure equals approximately 7059.0 psi.

5M BOP STACK





5M CHOKE MANIFOLD EQUIPMENT — CONFIGURATION OF CHOKES MAY VARY

[FR Doc. 88-25738 Filed 11-17-88; 2:45 am]

QUESTAR EXPLORATION & PRODUCTION, CO. WV 7AML-12-8-21 1446' FNL 1368' FEL SWNE, SECTION 12, T8S, R21E UINTAH COUNTY, UTAH LEASE # UTU-0806

ONSHORE ORDER NO. 1

MULTI - POINT SURFACE USE & OPERATIONS PLAN

1. Existing Roads:

The proposed well site is approximately 10 miles east of Ouray, Utah.

Refer to Topo Maps A and B for location of access roads within a 2 - mile radius.

There will be no improvements made to existing roads.

2. Planned Access Roads:

Please see Questar Explor. & Prod. Co Standard Operating Practices dated October 18, 2005, for Mesa Verde Formation Wells located in Red Wash, Wonsits Valley, Gypsum Hills, White River, Glen Bench, and Undesignated fields in Townships 07, 08 and 09 South, Ranges 21 to 25 East.

Refer to Topo Map B for the location of the proposed access road.

3. Location of Existing Wells Within a 1 - Mile Radius:

Please refer to Topo Map C.

4. Location of Existing & Proposed Facilities:

Please see Questar Explor. & Prod. Co Standard Operating Practices dated October 18, 2005, for Mesa Verde Formation Wells located in Red Wash, Wonsits Valley, Gypsum Hills, White River, Glen Bench, and Undesignated fields in Townships 07, 08 and 09 South, Ranges 21 to 25 East.

Refer to Topo Map D for the location of the proposed pipeline.

5. Location and Type of Water Supply:

Please see Questar Explor. & Prod. Co Standard Operating Practices dated October 18, 2005, for Mesa Verde Formation Wells located in Red Wash, Wonsits Valley, Gypsum Hills, White River, Glen Bench, and Undesignated fields in Townships 07, 08 and 09 South, Ranges 21 to 25 East.

6. Source of Construction Materials:

Please see Questar Explor. & Prod. Co Standard Operating Practices dated October 18, 2005, for Mesa Verde Formation Wells located in Red Wash, Wonsits Valley, Gypsum Hills, White River, Glen Bench, and Undesignated fields in Townships 07, 08 and 09 South, Ranges 21 to 25 East.

7. Methods of Handling Waste Materials:

Please see Questar Explor. & Prod. Co Standard Operating Practices dated October 18, 2005, for Mesa Verde Formation Wells located in Red Wash, Wonsits Valley, Gypsum Hills, White River, Glen Bench, and Undesignated fields in Townships 07, 08 and 09 South, Ranges 21 to 25 East.

8. Ancillary Facilities:

Please see Questar Explor. & Prod. Co Standard Operating Practices dated October 18, 2005, for Mesa Verde Formation Wells located in Red Wash, Wonsits Valley, Gypsum Hills, White River, Glen Bench, and Undesignated fields in Townships 07, 08 and 09 South, Ranges 21 to 25 East.

9. Well Site Layout: (See Location Layout Diagram)

The attached Location Layout Diagram describes drill pad cross-sections, cuts and fills and locations of the mud tanks, reserve pit, flare pit, pipe racks, trailer parking, spoil dirt stockpile(s), and surface material stockpile(s).

Please see the attached diagram to describe rig orientation, parking areas, and access roads.

A pit liner is required. A felt pit liner will be required if bedrock is encountered.

10. Plans for Reclamation of the Surface:

Please see Questar Explor. & Prod. Co Standard Operating Practices dated October 18, 2005, for Mesa Verde Formation Wells located in Red Wash, Wonsits Valley, Gypsum Hills, White River, Glen Bench, and Undesignated fields in Townships 07, 08 and 09 South, Ranges 21 to 25 East.

Interim Reclamation

Please see attached Interim Reclamation plan.

Once the well is put onto production, QEP will reclaim as much of the well pad as possible that will allow for operations to continue in a safe and reasonable manner. Reseeding will be done in the spring or fall of every year to allow winter precipitation to aid in the succuss of reclamation.

Seed Mix:

Interim Reclamation:
6 lbs Hycrest Crested Wheatgrass
6 lbs Needle & Threadgrass
Final Reclamation:

Seed Mix # 1 3 lbs. Fourwing Saltbush, 3 lbs. Indian Rice Grass, 4 lbs. Hycrest Crested Wheat Grass, 1 lb. Needle & Threadgrass

11. Surface Ownership:

The well pad and access road are located on lands owned by: Ute Tribe

PO Box 70

FT. Duchesne, UT 84026

12. Other Information

A Class III archaeological survey was conducted by Montgomery Archaeology Consultants. A copy of this report was submitted directly to the appropriate agencies by Montgomery Archaeology Consultants. Cultural resource clearance was recommended for this location.

Lessee's or Operator's Representative:

Jan Nelson Red Wash Rep. Questar Exploration & Production, Co. 1571 East 1700 South Vernal, Utah 84078 (435) 781-4032

Certification:

All lease and/or unit operations will be conducted in such a manner that full compliance is made with all applicable laws, regulations, Onshore Oil & Gas Orders, the approved plan of operations, and any applicable Notice to Lessees.

QEP will be fully responsible for the actions of their subcontractors.

A complete copy of the approved Application for Permit to Drill will be furnished to the field representative(s) to ensure compliance and shall be on location during all construction and drilling operations.

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drill site and access route; that I am familiar with the conditions which currently exist; that the statements made in this plan are, to the best of my knowledge, true and correct; and that the work associated with the operations proposed herein will be performed by QEP it's contractors and subcontractors in conformity with this plan and the terms and conditions under which it is approved. This statement is subject to the provisions of 18 U.S.C. 1001 for the filing of a false statement.

Jan Nelson Date

Red Wash Representative

QUESTAR EXPLR. & PROD.

WV #7AML-12-8-21

LOCATED IN UINTAH COUNTY, UTAH **SECTION 12, T8S, R21E, S.L.B.&M.**



PHOTO: VIEW FROM CORNER #5 TO LOCATION STAKE

CAMERA ANGLE: WESTERLY



PHOTO: VIEW FROM BEGINNING OF PROPOSED ACCESS

CAMERA ANGLE: NORTHERLY




Uintah Engineering & Land Surveying S South 200 East Vernal, Utah 84078 435-789-1017 vels@uelsinc.com


LOCATION PHOTOS


MONTH DAY YEAR


РНОТО


TAKEN BY: D.A. | DRAWN BY: C.H. | REVISED: 00-00-00


















API NO. ASSIGNED: 43-047-39035
PHONE NUMBER: 435-781-4032
INSPECT LOCATN BY: / /
Tech Review Initials Date
Engineering
Geology
Surface
PROPOSED FORMATION: MVRD COALBED METHANE WELL? NO
ON AND SITING: 649-2-3. WONSITS VALLEY 649-3-2. General iting: 460 From Qtr/Qtr & 920' Between Wells 649-3-3. Exception rilling Unit Board Cause No: 187-06 Eff Date: 7-1 Just 649-3-11. Directional Drill



United States Department of the Interior

BUREAU OF LAND MANAGEMENT Utah State Office P.O. Box 45155 Salt Lake City, Utah 84145-0155

IN REPLY REFER TO: 3160 (UT-922)

February 8, 2007

Memorandum

To:

Assistant District Manager Minerals, Vernal District

From:

Michael Coulthard, Petroleum Engineer

Subject:

2007 Plan of Development Wonsits Valley Unit Uintah

County, Utah.

Pursuant to email between Diana Whitney, Division of Oil, Gas and Mining, and Mickey Coulthard, Utah State Office, Bureau of Land Management, the following wells are planned for calendar year 2007 within the Wonsits Valley Unit, Uintah County, Utah.

API#

WELL NAME

LOCATION

(Proposed PZ MesaVerde)

43-047-39042 WV 07CML-11-8-21 Sec. 11 T. 8S R. 21E 2608 FNL 2629 FEL 43-047-39035 WV 07AML-12-8-21 Sec. 12 T. 8S R. 21E 1446 FNL 1368 FEL 43-047-39036 WV 14BML-12-8-21 Sec. 12 T. 8S R. 21E 0946 FSL 1962 FWL 43-047-39037 WV 14BML-13-8-21 Sec. 13 T. 8S R. 21E 1125 FSL 1464 FWL 43-047-39038 WV 04BML-14-8-21 Sec. 13 T. 8S R. 21E 0300 FNL 0179 FWL 43-047-39039 WV 13AML-15-8-21 Sec. 15 T. 8S R. 21E 1340 FSL 1334 FWL 43-047-39040 WV 09AML-15-8-21 Sec. 15 T. 8S R. 21E 2609 FSL 0289 FEL 43-047-39041 WV 04BML-23-8-21 Sec. 23 T. 8S R. 21E 0189 FNL 0101 FWL 43-047-39044 WV 07BML-23-8-21 Sec. 23 T. 8S R. 21E 1418 FNL 2559 FEL

This office has no objection to permitting the wells at this time.

/s/ Michael L. Coulthard



State of Utah

Department of Natural Resources

MICHAEL R. STYLER Executive Director

Division of Oil, Gas & Mining

JOHN R. BAZA
Division Director

JON M. HUNTSMAN, JR. Governor

GARY R. HERBERT Lieutenant Governor

February 8, 2007

Questar Exploration & Production, Co. 1571 E 1700 S Vernal, UT 84078

Re: Wonsits Valley 7AML-12-8-21 Well, 1446' FNL, 1368' FEL, SW NE, Sec. 12, T. 8 South, R. 21 East, Uintah County, Utah

Gentlemen:

Pursuant to the provisions and requirements of Utah Code Ann.§ 40-6-1 et seq., Utah Administrative Code R649-3-1 et seq., and the attached Conditions of Approval, approval to drill the referenced well is granted.

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date. The API identification number assigned to this well is 43-047-39035.

Sincerely,

Gil Hunt

Associate Director

SUZLI

pab Enclosures

cc: Uintah County Assessor (via e-mail)

Bureau of Land Management, Vernal District Office

Location: SW NE	Sec12_	T. <u>8 South</u>	R. 21 East
API Number: Lease:	43-047-39035 UTU-0806		
Well Name & Number	Wonsits Valley 7AML-12-8-21		
Operator:	Questar Explor	ation & Production, Co.	

Conditions of Approval

1. General

Compliance with the requirements of Utah Admin. R. 649-1 *et seq.*, the Oil and Gas Conservation General Rules, and the applicable terms and provisions of the approved Application for permit to drill.

2. Notification Requirements

Notify the Division with 24 hours of spudding the well.

• Contact Carol Daniels at (801) 538-5284.

Notify the Division prior to commencing operations to plug and abandon the well.

 Contact Dustin Doucet at (801) 538-5281 office (801) 733-0983 home

3. Reporting Requirements

All required reports, forms and submittals will be promptly filed with the Division, including but not limited to the Entity Action Form (Form 6), Report of Water Encountered During Drilling (Form 7), Weekly Progress Reports for drilling and completion operations, and Sundry Notices and Reports on Wells requesting approval of change of plans or other operational actions.

4. State approval of this well does not supersede the required federal approval, which must be obtained prior to drilling.

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPLICATE*

FORM APPROVED OMB NO. 1040-0136

Expires: February 28, 1995

UTU-0806

5. LEASE DESIGNATION AND SERIAL NO.

	1 0000	VI 11	6. IF INDIAN, ALLOTTEE C		
APPLICATION FOR PERMIT			UTE T	1	
TYPE OF WORK	_	the board has been did the season have	7. UNIT AGREEMENT NAM		
DRILL 2	DRILL ☑ DEEPEN □			WONSITS VALLEY UNIT	
TYPE OF WELL		JAN 3 1 2007	8. FARM OR LEASE NAME	, WELL NO.	
□ ☑ □ SINGLE	MULTIPLE				
OIL WELL GAS WELL OTHER ZONE	ZONE 📿	MAYCONIAL LITALL	WV 7AML	12-8-21	
2. NAME OF OPERATOR	Contact: Jan Nels	on 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	9.API NUMBER:	v . ~ ~	
QUESTAR EXPLORATION & PRODUCTION, CO.	E-Mail: ja	an.nelson@questar.com	43.047.39	1035	
3. ADDRESS	Telphone number		10. FIELD AND POOL, OR WILDCAT		
1571 E 1700 S VERNAL, UT 84078	Phone 435-1	781-4032 Fax 435-781-4045	WONSITS VALLEY		
4. LOCATION OF WELL (Report location clearly and in ac	cordance with and	State requirements*)	11. SEC.,T, R, M, OR BLK 8	SURVEY OR AREA	
At Surface 1446' FNL 1368' FEL	SWNE SECTION 12	2 T8S R21E			
At proposed production zone			SEC. 12, T8S, I	R21E Mer SLB	
14. DISTANCE IN MILES FROM NEAREST TOWN OR POS	STOFFICE*		12. COUNTY OR PARISH	13. STATE	
10 + / - EAST OF OURAY, UTAH			Uintah	UT	
15. DISTANCE FROM PROPOSED LOCATION TO NEARE	ST	16.NO.OF ACRES IN LEASE	17. NO. OF ACRES ASSIG	NED TO THIS WELL	
PROPERTY OR LEASE LINE, FT. (also to nearest drig,unit line if any)		2422.22	2	•	
•		2480.00	2	U	
1368' +/-	deilling	19. PROPOSED DEPTH	20. BLM/BIA Bond No. on	file	
18.DISTANCE FROM PROPOSED location to nearest well completed, applied for, on this lease, ft	, anning,		ESB000024	iii e	
920' +/-		11,805'			
21. ELEVATIONS (Show whether DF, RT, GR, ect.) 22. DATE WORK WILL START			23. Estimated duration		
5051.7' GR ASAP			14 Days		
24. Attachments					
The following, completed in accordance with the requirm	ents of Onshore Oi	I and Gas Order No. 1, shall be atta	ched to this form:		
1. Well plat certified by a registered surveyor.		4. Bond to cover the operations unless	covered by an exisiting bond of	n file (see	
2. A Drilling Plan Item 20 above).					
3. A surface Use Plan (if location is on National Forest System Lands, 5. Operator certification.					
the SUPO shall be filed with the appropriate Forest Service Office). 6. Such other site specific information			and/or plans as may be require	d by the	
authorized officer.					
	· · · · · · · · · · · · · · · · · · ·				
SIGNED AN I I SO	Name (printed/typ	ed) Jan Neison	DATE	2-1-07	
SIGNED	ivame (printedity)	ou, our recom			
TITLE Regulatory Affairs	-				
(This space for Federal or State office use)					
PERMIT NO.	APPROVA	AL DATE			
Application approval does not warrant or certify the applicant holds any legal or equitable lifle to	those rights in the subject lease	which would entitle the applicant to conduct operations the	reon		
CONDITIONS OF APPROVAL, IF ANY:	s •	I Formand I tomand I			
14/	Assi	stant Field Manager			
APPROVED BY		a Mineral Resources	- DATE	10-4-2007	
00 / 1		uctions On Reverse Side			
		person knowingly and willfully to make to any destatements or representations as to any mater w			

NOTICE OF APPROVAL CONDITIONS OF APPROVAL ATTACHED

RECEIVED

OCT 1 1 2007

① CONFIDENTIAL



Well No:

UNITED STATES DEPARTMENT OF THE INTERIOR **BUREAU OF LAND MANAGEMENT VERNAL FIELD OFFICE**



SWNE, Sec 12, T8S, R21E

170 South 500 East

VERNAL, UT 84078 (435) 781-4400

CONDITIONS OF APPROVAL FOR APPLICATION FOR PERMIT TO DRILL

Company: Questar Exploration & Production Co.

Location:

WV 7AML-12-8-21 Lease No: UTU-0806

43-047-39035 Agreement: Wonsits Valley Unit API No:

Title	Name	Office Phone Number	Cell Phone Number
Petroleum Engineer:	Matt Baker	(435) 781-4490	(435) 828-4470
Petroleum Engineer:	Michael Lee	(435) 781-4432	(435) 828-7875
Petroleum Engineer:	James Ashley	(435) 781-4470	(435) 828-7874
Petroleum Engineer:	Ryan Angus	(435) 781-4430	(435) 828-7368
Supervisory Petroleum Technician:	Jamie Sparger	(435) 781-4502	(435) 828-3913
NRS/Enviro Scientist:	Paul Buhler	(435) 781-4475	(435) 828-4029
NRS/Enviro Scientist:	Karl Wright	(435) 781-4484	(435) 828-7381
NRS/Enviro Scientist:	Holly Villa	(435) 781-4404	
NRS/Enviro Scientist:		(435) 781-4476	
NRS/Enviro Scientist:	Chuck MacDonald	(435) 781-4441	(435) 828-7481
NRS/Enviro Scientist:	Jannice Cutler	(435) 781-3400	(435) 828-3544
NRS/Enviro Scientist:	Michael Cutler	(435) 781-3401	(435) 828-3546
NRS/Enviro Scientist:	Anna Figueroa	(435) 781-3407	(435) 828-3548
NRS/Enviro Scientist:	Verlyn Pindell	(435) 781-3402	(435) 828-3547
NRS/Enviro Scientist:	Darren Williams	(435) 781-4447	
NRS/Enviro Scientist:	Nathan Packer	(435) 781-3405	(435) 828-3545
		Fax: (435) 781-3420	

A COPY OF THESE CONDITIONS SHALL BE FURNISHED TO YOUR FIELD REPRESENTATIVE TO INSURE COMPLIANCE

All lease and/or unit operations are to be conducted in such a manner that full compliance is made with the applicable laws, regulations (43 CFR Part 3160), and this approved Application for Permit to Drill including Surface and Downhole Conditions of Approval. The operator is considered fully responsible for the actions of his subcontractors. A copy of the approved APD must be on location during construction, drilling, and completion operations. This permit is approved for a two (2) year period, or until lease expiration, whichever occurs first. An additional extension, up to two (2) years, may be applied for by sundry notice prior to expiration.

NOTIFICATION REQUIREMENTS

Location Construction (Notify NRS/Enviro Scientist)	-	Forty-Eight (48) hours prior to construction of location and access roads.
Location Completion (Notify NRS/Enviro Scientist)	-	Prior to moving on the drilling rig.
Spud Notice (Notify Petroleum Engineer)	-	Twenty-Four (24) hours prior to spudding the well.
Casing String & Cementing (Notify Supervisory Petroleum Technician)	-	Twenty-Four (24) hours prior to running casing and cementing all casing strings
BOP & Related Equipment Tests (Notify Supervisory Petroleum Technician)	-	Twenty-Four (24) hours prior to initiating pressure tests
First Production Notice (Notify Petroleum Engineer)	-	Within Five (5) business days after new well begins or production resumes after well has been off production for more than ninety (90) days

Page 2 of 7 Well: WV 7AML-12-8-21 8/29/2007

SURFACE USE PROGRAM CONDITIONS OF APPROVAL (COAs)

Surface COAs:

- If there is an active Gilsonite mining operation within 2 miles of the well location, operator shall notify the Gilsonite operator at least 48 hours prior to any blasting during construction.
- If paleontological materials are uncovered during construction, the operator is to immediately stop
 work and contact the Authorized Officer (AO). A determination will be made by the AO as to what
 mitigation may be necessary for the discovered paleontologic material before construction can
 continue.

Additional Stipulations:

- A <u>30</u> foot corridor right-of-way shall be approved. Upon completion of each pipeline in corridor, they shall be identified and filed with the Ute Tribe.
- A qualified Archaeologist accompanied by a Tribal Technician will monitor trenching construction of pipeline.
- The Ute Tribe Energy & Minerals Department is to be notified, in writing 48 hours prior to construction of pipeline.
- Construction Notice shall be given to the department on the Ute Tribe workdays, which are Monday through Thursday. The Company understands that they may be responsible for costs incurred by the Ute Tribe after hours.
- The Company shall inform contractors to maintain construction of pipelines within the approved ROWs.
- The Company shall assure the Ute Tribe that "ALL CONTRACTORS, INCLUDING SUB-CONTRACTORS, LEASING CONTRACTORS, AND ETC." have acquired a current and valid Ute Tribal Business License and have "Access Permits" prior to construction, and will have these permits in all vehicles at all times.
- You are hereby notified that working under the "umbrella" of a company does not allow you to be in the field, and can be subject to those fines of the Ute Tribe Severance Tax Ordinance.
- Any deviation of submitted APDs and ROW applications the Companies will notify the Ute Tribe and BIA in writing and will receive written authorization of any such change with appropriate authorization.
- The Company will implement "Safety and Emergency Plan." The Company's safety director will ensure its compliance.
- All Company employees and/or authorized personnel (sub-contractors) in the field will have approved applicable APDs and/or ROW permits/authorizations on their person(s) during all phases of construction.

Page 3 of 7 Well: WV 7AML-12-8-21 8/29/2007

- All vehicular traffic, personnel movement, construction/restoration operations shall be confined to the area examined and approved, and to the existing roadways and/or evaluated access routes.
- All personnel shall refrain from collecting artifacts, any paleontological fossils, and from disturbing any significant cultural resources in the area.
- The personnel from the Ute Tribe Energy & Minerals Department shall be notified shall cultural remains from subsurface deposits be exposed or identified during construction. All construction will cease.
- All mitigative stipulations contained in the Bureau of Indian Affairs Site Specific Environmental Assessment (EA) will be strictly adhered.
- Upon completion of Application for Corridor Right-Way, the company will notify the Ute Tribe Energy & Minerals Department, so that a Tribal Technician can verify Affidavit of Completion.
- Paint tanks Desert Tan
- For any other additional stipulations, see concurrence letter.

Page 4 of 7 Well: WV 7AML-12-8-21 8/29/2007

DOWNHOLE CONDITIONS OF APPROVAL

SITE SPECIFIC DOWNHOLE CONDITIONS OF APPROVAL

- The 9 5/8" surface casing shall be 1200 feet long.
- The top of the production casing cement shall extend a minimum of 200 feet above the surface casing shoe.

All provisions outlined in Onshore Oil & Gas Order #2 Drilling Operations shall be strictly adhered to. The following items are emphasized:

DRILLING/COMPLETION/PRODUCING OPERATING STANDARDS

- The spud date and time shall be reported orally to Vernal Field Office within 24 hours of spudding.
- Notify Vernal Field Office Supervisory Petroleum Engineering Technician at least 24 hours in advance of casing cementing operations and BOPE & casing pressure tests.
- Blowout prevention equipment (BOPE) shall remain in use until the well is completed or abandoned. Closing unit controls shall remain unobstructed and readily accessible at all times. Choke manifolds shall be located outside of the rig substructure.
- All BOPE components shall be inspected daily and those inspections shall be recorded in the
 daily drilling report. Components shall be operated and tested as required by Onshore Oil &
 Gas Order No. 2 to insure good mechanical working order. All BOPE pressure tests shall be
 performed by a test pump with a chart recorder and <u>NOT</u> by the rig pumps. Test shall be
 reported in the driller's log.
- BOP drills shall be initially conducted by each drilling crew within 24 hours of drilling out from under the surface casing and weekly thereafter as specified in Onshore Oil & Gas Order No. 2.
- Casing pressure tests are required before drilling out from under all casing strings set and cemented in place.
- No aggressive/fresh hard-banded drill pipe shall be used within casing.
- Cement baskets shall not be run on surface casing.
- The operator must report all shows of water or water-bearing sands to the BLM. If flowing water is encountered it must be sampled, analyzed, and a copy of the analyses submitted to the BLM Vernal Field Office.
- The operator must report encounters of all non oil & gas mineral resources (such as Gilsonite, tar sands, oil shale, trona, etc.) to the Vernal Field Office, in writing, within 5 working days of each encounter. Each report shall include the well name/number, well location, date and depth (from KB or GL) of encounter, vertical footage of the encounter and, the name of the person making the report (along with a telephone number) should the BLM need to obtain additional information.

Page 5 of 7 Well: WV 7AML-12-8-21 8/29/2007

- A complete set of angular deviation and directional surveys of a directional well will be submitted to the Vernal BLM office engineer within 30 days of the completion of the well.
- Chronologic drilling progress reports shall be filed directly with the BLM, Vernal Field Office on a
 weekly basis in sundry, letter format or e-mail to the Petroleum Engineers until the well is
 completed.
- A cement bond log (CBL) will be run from the production casing shoe to the top of cement and shall be utilized to determine the bond quality for the production casing. Submit a field copy of the CBL to this office.
- Please submit an electronic copy of all other logs run on this well in LAS format to UT_VN_Welllogs@BLM.gov. This submission will supersede the requirement for submittal of paper logs to the BLM.
- There shall be no deviation from the proposed drilling, completion, and/or workover program as approved. Safe drilling and operating practices must be observed. Any changes in operation must have prior approval from the BLM Vernal Field Office.

Page 6 of 7 Well: WV 7AML-12-8-21 8/29/2007

OPERATING REQUIREMENT REMINDERS:

- All wells, whether drilling, producing, suspended, or abandoned, shall be identified in accordance with 43 CFR 3162.6. There shall be a sign or marker with the name of the operator, lease serial number, well number, and surveyed description of the well.
- In accordance with 43 CFR 3162.4-3, this well shall be reported on the "Monthly Report of Operations" (Oil and Gas Operations Report ((OGOR)) starting with the month in which operations commence and continue each month until the well is physically plugged and abandoned. This report shall be filed in duplicate, directly with the Minerals Management Service, P.O. Box 17110, Denver, Colorado 80217-0110, or call 1-800-525-7922 (303) 231-3650 for reporting information.
- Should the well be successfully completed for production, the BLM Vernal Field office must be
 notified when it is placed in a producing status. Such notification will be by written
 communication and must be received in this office by not later than the fifth business day
 following the date on which the well is placed on production. The notification shall provide, as a
 minimum, the following informational items:
 - o Operator name, address, and telephone number.
 - o Well name and number.
 - Well location (¼¼, Sec., Twn, Rng, and P.M.).
 - Date well was placed in a producing status (date of first production for which royalty will be paid).
 - o The nature of the well's production, (i.e., crude oil, or crude oil and casing head gas, or natural gas and entrained liquid hydrocarbons).
 - o The Federal or Indian lease prefix and number on which the well is located; otherwise the non-Federal or non-Indian land category, i.e., State or private.
 - o Unit agreement and/or participating area name and number, if applicable.
 - Communitization agreement number, if applicable.
- Any venting or flaring of gas shall be done in accordance with Notice to Lessees (NTL) 4A and needs prior approval from the BLM Vernal Field Office.
- All undesirable events (fires, accidents, blowouts, spills, discharges) as specified in NTL 3A will be reported to the BLM, Vernal Field Office. Major events, as defined in NTL3A, shall be reported verbally within 24 hours, followed by a written report within 15 days. "Other than Major Events" will be reported in writing within 15 days. "Minor Events" will be reported on the Monthly Report of Operations and Production.
- Whether the well is completed as a dry hole or as a producer, "Well Completion and Recompletion Report and Log" (BLM Form 3160-4) shall be submitted not later than 30 days after completion of the well or after completion of operations being performed, in accordance with 43 CFR 3162.4-1. Two copies of all logs run, core descriptions, and all other surveys or

Page 7 of 7 Well: WV 7AML-12-8-21 8/29/2007

data obtained and compiled during the drilling, workover, and/or completion operations, shall be filed on BLM Form 3160-4. Submit with the well completion report a geologic report including, at a minimum, formation tops, and a summary and conclusions. Also include deviation surveys, sample descriptions, strip logs, core data, drill stem test data, and results of production tests if performed. Samples (cuttings, fluid, and/or gas) shall be submitted only when requested by the BLM, Vernal Field Office.

- All off-lease storage, off-lease measurement, or commingling on-lease or off-lease, shall have prior written approval from the BLM Vernal Field Office.
- Oil and gas meters shall be calibrated in place prior to any deliveries. The BLM Vernal Field Office Petroleum Engineers will be provided with a date and time for the initial meter calibration and all future meter proving schedules. A copy of the meter calibration reports shall be submitted to the BLM Vernal Field Office. All measurement facilities will conform to the API standards for liquid hydrocarbons and the AGA standards for natural gas measurement. All measurement points shall be identified as the point of sale or allocation for royalty purposes.
- A schematic facilities diagram as required by Onshore Oil & Gas Order No. 3 shall be submitted
 to the BLM Vernal Field Office within 30 days of installation or first production, whichever occurs
 first. All site security regulations as specified in Onshore Oil & Gas Order No. 3 shall be
 adhered to. All product lines entering and leaving hydrocarbon storage tanks will be effectively
 sealed in accordance with Onshore Oil & Gas Order No. 3.
- Any additional construction, reconstruction, or alterations of facilities, including roads, gathering lines, batteries, etc., which will result in the disturbance of new ground, shall require the filing of a suitable plan and need prior approval of the BLM Vernal Field Office. Emergency approval may be obtained orally, but such approval does not waive the written report requirement.
- No location shall be constructed or moved, no well shall be plugged, and no drilling or workover
 equipment shall be removed from a well to be placed in a suspended status without prior
 approval of the BLM Vernal Field Office. If operations are to be suspended for more than 30
 days, prior approval of the BLM Vernal Field Office shall be obtained and notification given
 before resumption of operations.
- Pursuant to Onshore Oil & Gas Order No. 7, this is authorization for pit disposal of water produced from this well for a period of 90 days from the date of initial production. A permanent disposal method must be approved by this office and in operation prior to the end of this 90-day period. In order to meet this deadline, an application for the proposed permanent disposal method shall be submitted along with any necessary water analyses, as soon as possible, but no later than 45 days after the date of first production. Any method of disposal which has not been approved prior to the end of the authorized 90-day period will be considered as an Incident of Noncompliance and will be grounds for issuing a shut-in order until an acceptable manner for disposing of said water is provided and approved by this office.
- Unless the plugging is to take place immediately upon receipt of oral approval, the Field Office
 Petroleum Engineers must be notified at least 24 hours in advance of the plugging of the well, in
 order that a representative may witness plugging operations. If a well is suspended or abandoned,
 all pits must be fenced immediately until they are backfilled. The "Subsequent Report of
 Abandonment" (Form BLM 3160-5) must be submitted within 30 days after the actual plugging of
 the well bore, showing location of plugs, amount of cement in each, and amount of casing left in
 hole, and the current status of the surface restoration.

	STATE OF UTAH			FORM 9
	DEPARTMENT OF NATURAL RESC DIVISION OF OIL, GAS AND			5. LEASE DESIGNATION AND SERIAL NUMBER: UTU-0806
SUNDR	6. IF INDIAN, ALLOTTEE OR TRIBE NAME: UTE INDIAN TRIBE			
Do not use this form for proposals to drill drill horizontal	7. UNIT OF CA AGREEMENT NAME: WONSITS VALLEY UNIT			
1. TYPE OF WELL OIL WELL				8. WELL NAME and NUMBER: WW 7AML-12-8-21
2. NAME OF OPERATOR: QUESTAR EXPLORATION	ON & PRODUCTION CO.			9. API NUMBER: 4304739035
3. ADDRESS OF OPERATOR: 11002 E. 17500 S.	ry VERNAL STATE UT	ZIP 84078	PHONE NUMBER: (435) 781-4331	10. FIELD AND POOL, OR WILDCAT: WONSITS VALLEY
4. LOCATION OF WELL	SIAIE	ZIP		
FOOTAGES AT SURFACE: 1446'	FNL 1368' FEL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSHIP, RAI	NGE, MERIDIAN: SWINE 12 8S	21E		STATE: UTAH
11. CHECK APP	ROPRIATE BOXES TO INDIC	ATE NATURE	OF NOTICE, REPO	RT, OR OTHER DATA
TYPE OF SUBMISSION			TYPE OF ACTION	
[7]	ACIDIZE	DEEPEN		REPERFORATE CURRENT FORMATION
NOTICE OF INTENT (Submit in Duplicate)	ALTER CASING	FRACTUR	RE TREAT	SIDETRACK TO REPAIR WELL
Approximate date work will start:	CASING REPAIR	NEW CON	ISTRUCTION	TEMPORARILY ABANDON
	CHANGE TO PREVIOUS PLANS	OPERATO	OR CHANGE	TUBING REPAIR
	CHANGE TUBING	_	D ABANDON	VENT OR FLARE
SUBSEQUENT REPORT	CHANGE WELL NAME	PLUG BAG		WATER DISPOSAL
(Submit Original Form Only)				WATER SHUT-OFF
Date of work completion:	CHANGE WELL STATUS		TION (START/RESUME)	<u>=</u>
	COMMINGLE PRODUCING FORMATION	=	ATION OF WELL SITE	OTHER: APD EXTENSION
	CONVERT WELL TYPE	RECOMPI	LETE - DIFFERENT FORMATION	
Please be advised that th	OMPLETED OPERATIONS. Clearly show a se state APD for the above capt a respectfully requests a one ye	ioned well will	_ , , ,	
	Approved	by the		
	Utah Div	ision of		CODY OF TO COPPATION
	Oil, Gas ar	nd Mining		COPY SENT TO OPERATOR
			_	Date: 2-7-2008
	Date:	-67-0 Milli	<u>6</u>	Initials: KS
	By: Drad	Mar	_ _	
NAME (PI FASE PRINT) Laura Bille	s		Regulatory Affair	······································

(This space for State use only)

FEB 0 5 2008

DATE 2/4/2008

Application for Permit to Drill Request for Permit Extension Validation

(this form should accompany the Sundry Notice requesting permit extension)

API:	43-047-39035		
Well Name: Location:	WV 7AML-12-8-21	EL, SWNE, SEC. 12, T8S,	Date
		Questar Exploration & l	
	Permit Issued:		. Todaction Co.
above, hereby	verifies that the	information as subm	on the property as permitted itted in the previously s not require revision.
Following is a verified.	checklist of some	e items related to the	application, which should be
•	rivate land, has tl en updated? Yes		ed, if so, has the surface
		the vicinity of the pronts for this location?	posed well which would affect Yes⊡ No ☑
	•	er agreements put in proposed well? Yes⊏	place that could affect the INo⊠
	-	to the access route in proposed location? Y	ncluding ownership, or right- es□No☑
Has the appro-	ved source of wa	ter for drilling change	ed? Yes□No☑
	ire a change in p		ce location or access route discussed at the onsite
Is bonding still	in place, which c	covers this proposed	well? Yes⊠No□
All	na Bi	2	2/4/2008
Signature			Date
Title: Regulator	y Affairs		
Representing:	Questar Exploratio	on & Production Co.	
-			RECEIVED
			FEB 0 5 2008

DIV. OF OIL, GAS & MINING

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES

DIVISION OF OIL, GAS AND MINING	5. LEASE DESIGNATION AND SERIAL NUMBER: UTU-0806
SUNDRY NOTICES AND REPORTS ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME: UTE TRIBE
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.	7. UNIT OF CA AGREEMENT NAME: WONSITS VALLEY UNIT
1. TYPE OF WELL OIL WELL GAS WELL OTHER	8. WELL NAME and NUMBER: WV 7AML-12-8-21
2. NAME OF OPERATOR: QUESTAR EXPLORATION & PRODUCTION COMPANY	9. API NUMBER: 4304739035
3. ADDRESS OF OPERATOR: 11002 E. 17500 S. CITY VERNAL STATE UT ZIP 84078 PHONE NUMBER: (435) 781-4331	10. FIELD AND POOL, OR WILDCAT: WONSITS VALLEY
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1446' FNL 1368' FEL	COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: SWNE 12 8S 21E	STATE: UTAH
11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPO	RT, OR OTHER DATA
NOTICE OF INTENT (Submit in Duplicate) APProximate date work will start: Approximate date work will start: CASING REPAIR CHANGE TO PREVIOUS PLANS CHANGE TO PREVIOUS PLANS CHANGE TUBING CHANGE TUBING CHANGE WELL NAME CHANGE WELL NAME CHANGE WELL STATUS COMMINGLE PRODUCTION (START/RESUME) COMMINGLE PRODUCTION FORMATIONS RECLAMATION OF WELL SITE CONVERT WELL TYPE RECOMPLETE - DIFFERENT FORMATION 12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volume Questar Exploration & Production Company hereby requests a 1 year extension on the WV Approved by the Utah Division of Oil, Gas and Mining Date: By:	
NAME (PLEASE PRINT) Laura Bills SIGNATURE DATE DATE Associate Regular 1/29/2009	atory Affairs Analyst
(This space for State use only) COPY SENT TO OPERATOR RECEIVE	:D

(5/2000)

FEB 0 2 2009



Application for Permit to Drill Request for Permit Extension Validation

(this form should accompany the Sundry Notice requesting permit extension)

API:

43-047-39035

Well Name: WV 7AML-12-8-21				
Location: 1446' FNL 1368' FEL, SWNE, SEC. 12, T8S, R21E				
Company Permit Issued to: Questar Exploration & Production Co. Date Original Permit Issued: 2/8/2007				
Jate Original Permit Issued. 2/8/2007				
The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision.				
Following is a checklist of some items related to the application, which should be verified.				
f located on private land, has the ownership changed, if so, has the surface agreement been updated? Yes⊡No☑				
Have any wells been drilled in the vicinity of the proposed well which would affect he spacing or siting requirements for this location? Yes⊟No☑				
Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well? Yes□ No ☑				
Have there been any changes to the access route including ownership, or right-of-way, which could affect the proposed location? Yes□No☑				
las the approved source of water for drilling changed? Yes□No☑				
Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation? Yes□No☑				
s bonding still in place, which covers this proposed well? Yes ☑No ☐				
Mana Bilb 1/29/2009				
Signature Date				
Title: Associate Regulatory Affairs Analyst				
Representing: Questar Exploration & Production Company				

RECEIVED FEB 0 2 2009

STATE OF UTAH					FORM 9	
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING					5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-0806	
SUNDRY NOTICES AND REPORTS ON WELLS				6. IF I	6. IF INDIAN, ALLOTTEE OR TRIBE NAME: UTE	
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.					7.UNIT or CA AGREEMENT NAME: WONSITS VALLEY	
1. TYPE OF WELL Gas Well					8. WELL NAME and NUMBER: WV 7AML-12-8-21	
2. NAME OF OPERATOR: QUESTAR EXPLORATION & PRODUCTION CO					9. API NUMBER: 43047390350000	
3. ADDRESS OF OPERATOR: 11002 East 17500 South , Vernal, UT, 84078 435 781-4362 Ext					9. FIELD and POOL or WILDCAT: WONSITS VALLEY	
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1446 FNL 1368 FEL QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:				UINT	AH	
Qtr/Qtr: SWNE Section: 12 Township: 08.0S Range: 21.0E Meridian: S					STATE: UTAH	
CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA						
TYPE OF SUBMISSION	TYPE OF ACTION					
NOTICE OF INTENT Approximate date work will start: 2/5/2011	ACIDIZE	A	ALTER CASING		CASING REPAIR	
	CHANGE TO PREVIOUS PLANS		CHANGE TUBING		CHANGE WELL NAME	
SUBSEQUENT REPORT Date of Work Completion:	CHANGE WELL STATUS	_	COMMINGLE PRODUCING FORMATIO	NS L	CONVERT WELL TYPE NEW CONSTRUCTION	
	DEEPEN OPERATOR CHANGE	_	-RACTURE TREAT		PLUG BACK	
SPUD REPORT Date of Spud:	PRODUCTION START OR RESUME	_	RECLAMATION OF WELL SITE		RECOMPLETE DIFFERENT FORMATION	
	REPERFORATE CURRENT FORMATION	□ s	SIDETRACK TO REPAIR WELL		TEMPORARY ABANDON	
	TUBING REPAIR	□ v	/ENT OR FLARE		WATER DISPOSAL	
DRILLING REPORT Report Date:	☐ WATER SHUTOFF	□ s	SI TA STATUS EXTENSION	V	APD EXTENSION	
	☐ WILDCAT WELL DETERMINATION	□ c	OTHER	ОТІ	HER:	
l .	 DMPLETED OPERATIONS. Clearly show all p				etc.	
Questar Exploration and Production Company hereby requests a one year extension for the APD on the above captioned well. Approved by the						
extension for the APD on the above captioned well.					Utah Division of	
				Oi	il, Gas and Mining	
				Date:	February 01, 2010	
				Date:	00 cul 10	
				Ву: <u></u>	Jelly Chic	
					7/3	
NAME (BIEAGE DEVIE)		- I				
NAME (PLEASE PRINT) Jan Nelson	435 781-4331	ER	TITLE Permit Agent			
SIGNATURE N/A			DATE 2/1/2010			



The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

Electronic Permitting System - Sundry Notices

Request for Permit Extension Validation Well Number 43047390350000

API: 43047390350000 **Well Name:** WV 7AML-12-8-21

Location: 1446 FNL 1368 FEL QTR SWNE SEC 12 TWNP 080S RNG 210E MER S

Company Permit Issued to: QUESTAR EXPLORATION & PRODUCTION CO

Date Original Permit Issued: 2/8/2007

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

ire revision. Following is a checklist of some items related to the application, which should be verified.
 If located on private land, has the ownership changed, if so, has the surface agreement been updated? Yes No
 Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location? Yes No
 Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well? Yes No
 Have there been any changes to the access route including ownership, or rightof- way, which could affect the proposed location? Yes No
• Has the approved source of water for drilling changed? 🔘 Yes 📵 No
 Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation? Yes No
• Is bonding still in place, which covers this proposed well? Yes No Utah Division of

Signature: Jan Nelson **Date:** 2/1/2010

Title: Permit Agent Representing: QUESTAR EXPLORATION & PRODUCTIO Pate: February 01, 2010

Bv:

Oil, Gas and Mining

Division of Oil, Gas and Mining

OPERATOR CHANGE WORKSHEET

(for state use only)

R	OUTING	
	CDW	

Change of Operator (Well Sold)	X - Operator Name Change							
The operator of the well(s) listed below has char			6/14/2010					
FROM: (Old Operator): N5085-Questar Exploration and Production Company 1050 17th St, Suite 500 Denver, CO 80265					•	e 500		
Phone: 1 (303) 308-3048				Phone: 1 (303) 308-3048			
CA No.				Unit:		WONSITS	VALLEY	
WELL NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
SEE ATTACHED								
L	<u> </u>	<u> </u>	L	<u> </u>			<u> </u>	<u> </u>
OPERATOR CHANGES DOCUMENT Enter date after each listed item is completed 1. (R649-8-10) Sundry or legal documentation w 2. (R649-8-10) Sundry or legal documentation w	as rec	eived f		-		6/28/2010		
3. The new company was checked on the Depart				^			-	6/24/2010
4a. Is the new operator registered in the State of				Business Numb	-	764611-0143		_ = ===================================
5a. (R649-9-2)Waste Management Plan has been r	eceive	ed on:		Requested				
5b. Inspections of LA PA state/fee well sites comp				n/a				
5c. Reports current for Production/Disposition &				ok		_		
6. Federal and Indian Lease Wells: The Bl					_		~~.	
or operator change for all wells listed on Feder	ral or	Indian	leases (on:	BLM	- 8/16/2010	BIA	not yet
7. Federal and Indian Units:	c	•.		11 20 , 1		0/1//2010		
The BLM or BIA has approved the successors. Federal and Indian Communization As		_			n:	8/16/2010	-	
8. Federal and Indian Communization As The BLM or BIA has approved the operator	-		•	-		N/A		
9. Underground Injection Control ("UIC"							- ity to	
Inject, for the enhanced/secondary recovery u	•						6/29/2010	•
DATA ENTRY:	mu pro	Jeet 10	n aic w	ater disposar w	ch(s) haicu (J11.	0/2//2010	_
1. Changes entered in the Oil and Gas Database	on:			6/30/2010				
2. Changes have been entered on the Monthly O		or Cha	ange S		 i:	6/30/2010		
3. Bond information entered in RBDMS on:	-			6/30/2010	_		-	
4. Fee/State wells attached to bond in RBDMS o	n:			6/30/2010				
5. Injection Projects to new operator in RBDMS				6/30/2010				
6. Receipt of Acceptance of Drilling Procedures for APD/New on: n/a								
BOND VERIFICATION:								
1. Federal well(s) covered by Bond Number:				ESB000024	_			
2. Indian well(s) covered by Bond Number:				965010693				
3a. (R649-3-1) The NEW operator of any state/f	ee we	ll(s) lis	ted cov	vered by Bond 1	Number	965010695	_	
3b. The FORMER operator has requested a relea		•	from t	their bond on:	<u>n/a</u>	_		
LEASE INTEREST OWNER NOTIFIC	-							
4. (R649-2-10) The NEW operator of the fee wells has been contacted and informed by a letter from the Division								
of their responsibility to notify all interest own	ers of	this ch	ange of	<u>n:</u>	n/a	 		
COMMENTS:								

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES

DIVISION OF OIL, GAS AND MINING 5. LEASE DESIGNATION AND SERIAL NUMBER: See attached SUNDRY NOTICES AND REPORTS ON WELLS 6. IF INDIAN, ALLOTTEE OR TRIBE NAME See attached Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals. 7. UNIT or CA AGREEMENT NAME See attached 1 TYPE OF WELL 8. WELL NAME and NUMBER: OIL WELL GAS WELL OTHER See attached 2 NAME OF OPERATOR: 9. API NUMBER: NJ085 Questar Exploration and Production Company Attached 3 ADDRESS OF OPERATOR: PHONE NUMBER: 10. FIELD AND POOL, OR WILDCAT: 1050 17th Street, Suite 500 Denver 710 **80265** CO (303) 672-6900 See attached 4. LOCATION OF WELL FOOTAGES AT SURFACE: See attached COUNTY: Attached QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: STATE: **UTAH** CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION TYPE OF ACTION ACIDIZE DEEPEN \checkmark NOTICE OF INTENT REPERFORATE CURRENT FORMATION (Submit in Duplicate) ALTER CASING FRACTURE TREAT SIDETRACK TO REPAIR WELL Approximate date work will start: CASING REPAIR **NEW CONSTRUCTION** TEMPORARILY ABANDON 6/14/2010 CHANGE TO PREVIOUS PLANS OPERATOR CHANGE TURING REPAIR CHANGE TUBING PLUG AND ABANDON VENT OR FLARE SUBSEQUENT REPORT CHANGE WELL NAME PLUG BACK WATER DISPOSAL (Submit Original Form Only) CHANGE WELL STATUS PRODUCTION (START/RESUME) WATER SHUT-OFF Date of work completion: COMMINGLE PRODUCING FORMATIONS RECLAMATION OF WELL SITE OTHER: Operator Name CONVERT WELL TYPE RECOMPLETE - DIFFERENT FORMATION Change DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. Effective June 14, 2010 Questar Exploration and Production Company changed its name to QEP Energy Company. This name change involves only an internal corporate name change and no third party change of operator is involved. The same employees will continue to be responsible for operations of the properties described on the attached list. All operations will continue to be covered by bond numbers: Federal Bond Number: 965002976 (BLM Reference No. ESB000024) N3700 Utah State Bond Number: 965003033 9650/0695 Fee Land Bond Number: 965003033 9650/0695BIA Bond Number: 799446 9650/0693 The attached document is an all inclusive list of the wells operated by Questar Exploration and Production Company. As of June 14, 2010 QEP Energy Company assumes all rights, duties and obligations as operator of the properties as described on the list Morgan Anderson NAME (PLEASE PRINT Regulatory Affairs Analyst 6/23/2010 (This space for State use only)

RECEIVED
JUN 2 8 2010

DIV. OF OIL, GAS & MINING

(See Instructions on Reverse Side)

Carlene Kussell
Division of Oil, Gas and Mining
Earlene Russell, Engineering Technician

well_name	sec	twp	rng	api	entity	mineral	type	stat	С
						lease	F		
WV 43	11	080S	210E	4304715471	5265	Federal	OW	P	
WV 48	10	080S		4304715476	5265	Federal	OW	P	
WV 53	10	080S	210E	4304720003	5265	Federal	OW	P	
WV 55	14	080S	210E	4304720005	5265	Federal	OW	P	
WV 62	10	080S		4304720024	5265	Federal	OW	P	
WV 65	15	080S		4304720041	5265	Federal	OW	P	
WV 83 WG	23	080S		4304720205	17123	Federal	GW	P	
WV 103	14	080S		4304730021	5265	Federal	OW	P	-
WV 104	15	080S		4304730022	5265	Federal	OW	P	-
WV 105	10	080S		4304730023	5265	Federal	ow	P	
WV 109	15	·		4304730045	5265	Federal	OW	P	
WV 110	14			4304730046	5265	Federal	OW	P	
WV 112	15			4304730048	5265	Federal	OW	P	-
WV 124	15			4304730745	5265	Federal	OW	P	
WV 128	10			4304730798	5265	Federal	OW	P	
WV 132	15			4304730798	5265				
WV 136	21			4304730822	5265		OW	P	
WV 137	11			4304731523		Federal	OW	S	
WV 133	15			4304731323	5265	Federal	OW	P	
WV 144	10			4304731706 4304731807	5265	Federal	OW	P	ļ
WV 145	18				5265	Federal	OW	P	
WV 121	14			4304731820	17123		GW	P	
WV 135-2				4304731873	5265	Federal	OW	TA	
WV 130	21			4304732016	5265		OW	P	
WV 119	22			4304732307	5265	Federal		P	
WV 54 WG	21			4304732461	5265	Federal		P	
WV 69 WG	07			4304732821	17123	Federal	***********	P	
WV 38 WG	18			4304732829	17123			P	
WV 49 WG	08			4304732831	17123			P	
WV 138 WG				4304732832	17123			P	
WV 14 WG				4304733054	17123			P	
WV 11 WG	12			4304733070	17123			P	
WV 81 WG	12			4304733085	17123	Federal	GW	P	
WV 146 WG				4304733086	17123			S	
WV 1W-14-8-21				4304733128	17123	Federal	GW	P	
WV 5W-13- 8-21				4304733220	17123			P	
				4304733221	17123	Federal	GW	P	
WVFU 46 WG				4304733241	17123			P	
WV 9W-14-8-21				4304733269	17123	Federal	GW	P	
WV 7W-13-8-21				4304733270	17123	Federal	GW	P	
WV 1W-18-8-22				1304733294	17123	Federal	GW	P	
WV 11W-8-8-22				1304733295	17123	Federal	GW	P	
WV 3W-8-8-22				1304733493	17123	Federal	GW	S	
WV 5W-7-8-22				1304733494	17123	Federal	GW	S	
WV 11W-7-8-22				1304733495	17123			P	
WV 13W-7-8-22				1304733496	17123	Federal	GW	P	
WV 1W-7-8-22				304733501	17123		GW	P	
WV 3W-7-8-22				1304733502	17123		******	P	
WV 7WRG-7-8-22				304733503	5265			P	
WV 16W-9-8-21	09	080S	210E 4	304733529	17123			P	

well_name	sec	twp	rng	api	entity	mineral	type	stat	C
WW 1W 10 0 01						lease			
WV 1W-12-8-21	12	080S		4304733531	17123	Federal	GW	S	
WV 1W-13-8-21	13	080S		4304733532	17123	Federal	GW	S	
WV 3W-18-8-22	18			4304733533	17123	Federal	GW	P	
WV 9W-12-8-21	12			4304733534	17123	Federal	GW	P	
WV 11W-12-8-21	12			4304733535	17123	Federal	GW	P	
WV 11W-13-8-21	13	080S		4304733536	17123	Federal	GW	P	
WV 13W-12-8-21	12	080S		4304733537	17123	Federal	GW	S	
WV 13W-18-8-22	18	080S		4304733538	17123	Federal	GW	P	
WV 16G-9-8-21	09	080S	210E	4304733565	5265	Federal	OW	P	
WV 1W-21-8-21	21			4304733602	17123	Federal	GW	P	
WV 3W-13-8-21	13	080S	210E	4304733603	17123	Federal	GW	S	
WV 3W-22-8-21	22	080S	210E	4304733604	17123	Federal	GW	P	
WV 3W-24-8-21	24	080S	210E	4304733605	17123	Federal	GW	P	
WV 13W-14-8-21	14	080S	210E	4304733607	17123	Federal	GW	P	-
WV 1W-24-8-21	24			4304733613	17123	Federal	GW.	P	
WV 11W-18-8-22	18			4304733626	17123	Federal		P	-
WV 2W-10-8-21				4304733655	17123	Federal	GW	P	
WV 4W-11-8-21				4304733657	17123	Federal	GW	P	
WV 12W-10-8-21				4304733659	17123	Federal	GW	S	+
WV 12G-10-8-21				4304733660	5265	Federal		P	
WV 15W-9-8-21				4304733661	17123	Federal		P	
WV 15G-9-8-21				4304733662	5265		OW	P	
WV 2W-13-8-21				4304733791	17123		GW	P	
WV 6W-13-8-21				4304733792	17123			P	
WV 8W-13-8-21				4304733792	17123			P	
WV 10W-1-8-21				4304733794	17123	Federal	GW		-
WV 10W-13-8-21				4304733794	17123		GW GW	TA P	
WV 12W-7-8-22				4304733793	17123			P P	-
WV 6W-8-8-22				4304733808	17123			P P	
WV 7W-8-8-22		**********		4304733811	17123		****	P P	<u> </u>
WV 10W-7-8-22				4304733812	17123			P P	
WV 12W-8-8-22				4304733815	17123		*****************	P P	
WV 14W-7-8-22				4304733815	17123			P	
WV 16W-7-8-22				4304733810	17123				
WV 6W-7-8-22				1304733817	17123	Federal		P	
WV 6W-18-8-22				1304733842				P	
WV 6WC-18-8-22				1304733842	17123			<u>P</u>	-
WV 6WD-18-8-22				1304733844	17123			<u>P</u>	1
WV 5W-23-8-21				1304 <i>7</i> 33844 1304733860	17123			P	ļ
WV 7W-23-8-21				1304733860 1304733861	17123			<u>P</u>	
WV 8W-12-8-21					17123			<u>P</u>	
WV 10W-12-8-21				1304733862	17123			<u>P</u>	ļ
WV 14W-12-8-21				1304733863	17123			<u>P</u>	
WV 16W-12-8-21				1304733864	17123			<u>P</u>	<u> </u>
VV 1W-15-8-21				304733865	17123			<u>P</u>	
VV 1W-13-8-21 VV 1W-22-8-21				304733902	17123			S	
VV 1W-22-8-21 VV 1W-23-8-21				304733903	17123	Federal		<u>S</u>	
VV 1W-23-8-21 VV 6W-11-8-21				304733904	17123			P	
				304733906	17123			P	
VV 7W-24-8-21	24 (080S 2	210E 4	304733908	17123	Federal	$\mathbf{G}\mathbf{W}$ \parallel	P	

well_name	sec	twp	rng	api	entity	mineral	type	stat	C
		1				lease	type	Stat	
WV 10W-11-8-21	11	080S	210E	4304733910	17123	Federal	GW	P	
WV 11W-15-8-21	15	080S		4304733911	17123	Federal		P	
WV 13W-11-8-21	11	080S		4304733913	17123	Federal	GW	S	
WV 13W-15-8-21	15	080S	h	4304733914	17123	Federal	GW	P	
WV 15W-10-8-21	10	080S		4304733916	17123	Federal	GW	P	
WV 15W-15-8-21	15			4304733917	17123	Federal		P	
WV 5W-14-8-21	14	080S		4304733953	17123	Federal	GW	P	
WV 7W-14-8-21	14	+		4304733955	17123	Federal	GW	P	<u> </u>
WV 8W-11-8-21	11			4304733957	17123	Federal	GW	S	
WV 8W-14-8-21	14	080S		4304733958	17123	Federal	GW	P	_
WV 9W-15-8-21	15			4304733959	17123	Federal		P	
WV 12W-13-8-21	13	080S		4304733961	17123	Federal	GW	P	-
WV 14W-13-8-21	13	080S		4304733962	17123	Federal	GW	P	
WV 15W-14-8-21	14			4304733963	17123	Federal		P	-
WV 2W-18-8-22	18			4304733986	17123	Federal	GW		
WV 8W-18-8-22	18			4304733989	17123		GW	P	
WV 10W-18-8-22	18			4304733989	17123	Federal	GW	P	
WV 12W-18-8-22	18			4304733991				P	
WV 14W-18-8-22	18			4304733995	17123		GW	S	
WV 8W-1-8-21	01			4304733993	17123	Federal	GW	P	
WV 4W-17-8-22	17			4304734009	17123	Federal	GW	OPS	C
WV 12G-1-8-21	01			4304734038	17123	Federal	GW	P	
WV 2W-14-8-21	14				5265	Federal	OW	TA	
GH 2W-21-8-21	21			4304734140	17123	Federal	GW	P	-
WV 2W-23-8-21	23			4304734141	17123	Federal	 	P	ļ
WV 3W-21-8-21	23			4304734142	17123	Federal		P	
WV 4W-13-8-21	13			4304734143	17123	Federal		P	
WV 4W-13-8-21 WV 4W-21-8-21	21			4304734144	17123	Federal		P	
WV 4W-21-8-21 WV 4W-22-8-21				4304734145	17123	Federal		P	ļ
WV 16W-11-8-21				4304734146	17123			P	-
WV 3W-19-8-22				4304734155	5265			P	
WV 4W-23-8-21				4304734187	17123	Federal		P	
WV 6W-23-8-21				4304734188	17123			P	ļ
WV 2W-15-8-21				4304734189	17123			S	
WV 2W-13-8-21 WV 2W-22-8-21				4304734242	17123	Federal		P	
WV 4W-14-8-21				4304734243	17123			P	-
WV 6W-12-8-21				4304734244	17123			S	-
WV 7W-12-8-21 WV 7W-15-8-21				4304734245	5265			TA	
WV 8W-15-8-21				4304734246	17123			P	
WV 12W-12-8-21				4304734247	17123			P	ļ
WV 12W-12-8-21 WV 14W-15-8-21				4304734248	17123			TA	
WV 14W-15-8-21 WV 16W-10-8-21				4304734249	17123			P	
WV 16W-10-8-21 WV 16W-15-8-21				4304734250	17123			P	
WV 16W-15-8-21 WV 3W-12-8-21				1304734251	17123			P	
				1304734267	17123			OPS	С
WV 4D-12-8-21				1304734268	17123			OPS	С
WV 6W-14-8-21				1304734271	17123			S	
WV 9W-11-8-21				1304734274	17123			OPS	С
WV 10W-14-8-21				1304734275	17123	Federal	GW	P	
WV 11W-14-8-21	14	080S	210E	304734277	17123	Federal	GW	P	

well_name	sec	twp	rng	api	entity	mineral	type	stat	С
						lease			
WV 12W-14-8-21	14			4304734279	17123	Federal	GW	TA	
WV 14M-11-8-21	11	080S		4304734280	17123	Federal	GW	P	
WV 14W-14-8-21	14			4304734281	17123	Federal	GW	S	
WV 16G-14-8-21	14	080S	210E	4304734283	5265	Federal	OW	P	
WV 3MU-15-8-21	15	080S	210E	4304734289	17123	Federal	GW	P	
WV 4MU-15-8-21	15	080S	210E	4304734291	17123	Federal	GW	P	
WV 5MU-15-8-21	15	080S	210E	4304734293	17123	Federal	GW	P	
WV 6W-15-8-21	15	080S	210E	4304734294	17123	Federal	GW	P	
WV 10W-15-8-21	15	080S	210E	4304734295	17123	Federal	GW	P	
WV 4W-24-8-21	24	080S	210E	4304734330	17123	Federal	GW	P	
WV 8M-23-8-21	23	080S	210E	4304734339	17123	Federal	GW	P	
WV 8W-24-8-21	24	080S	210E	4304734340	17123	Federal	GW	P	
WV 2W-8-8-22	08	080S	220E	4304734468	17123	Federal	GW	P	
WV 8W-7-8-22	07	080S	220E	4304734469	17123	Federal	GW	S	<u> </u>
WV 8W-22-8-21	22	080S	210E	4304734564	17123	Federal	GW	P	1
WV 14MU-10-8-21	10	080S	210E	4304735879	17123	Federal	GW	P	
WV 13MU-10-8-21	10			4304736305	17123	Federal	GW	P	
WV 3D-13-8-21	13			4304737923	17123	Federal	GW	OPS	C
WV 14DML-12-8-21	12			4304737924	17123	Federal	GW	P	
WV 15AML-12-8-21	12			4304737925	17123	Federal	GW	OPS	C
WV 13DML-10-8-21	10			4304737926	17123	Federal	GW	P	
WV 4DML-15-8-21	15			4304737927	17123	Federal	GW	P	<u> </u>
WV 11AD-14-8-21	14			4304738049	17123	Federal	GW	P	
WV 6-24-8-21	24			4304738663	17123	Federal	GW	P	-
WV 2ML-24-8-21	24			4304738664		Federal	GW	APD	C
WV 16C-14-8-21	14			4304738737	17123	Federal	GW	P	
WV 7BML-24-8-21	24			4304738970			GW	APD	C
WV 7AML-12-8-21	12			4304739035		Federal	GW	APD	C
WV 14BML-12-8-21				4304739036		Federal	GW	APD	C
WV 14B-13-8-21				4304739037		Federal	GW	APD	C
WV 4B-14-8-21				4304739038			GW	APD	$\frac{c}{c}$
WV 13A-15-8-21				4304739039	17123	Federal		P	
WV 8D-15-8-21				4304739040	17123	Federal		P	-
WV 4BD-23-8-21				4304739041		Federal			
WV 7CML-11-8-21				4304739042		Federal		APD	С
WV 7BD-23-8-21				4304739044	17123		GW	P	
WV 2CML-7-8-22				4304739155	1,123	~	GW	APD	C
WV 13AD-8-8-22R(RIGSKID)				4304739321	17123		GW	P	
WV 2B-22-8-21				4304740262	11123	***************************************	GW	APD	C
WV 8D-22-8-21				4304740263			GW	APD	C
WV 7A-24-8-21				4304740331			GW	APD	C



United States Department of the Interior



BUREAU OF LAND MANAGEMENT Utah State Office P.O. Box 45155 Salt Lake City, UT 84145-0155 http://www.blm.gov/ut/st/en.html

IN REPLY REFER TO: 3100 (UT-922)

JUL 2 8 2010

Memorandum

To:

Vernal Field Office, Price Field Office, Moab Field Office Roja L Bankert

From:

Chief, Branch of Minerals

Subject:

Name Change Recognized

Attached is a copy of the Certificate of Name Change issued by the Texas Secretary of State and a decision letter recognizing the name change from the Eastern States Office. We have updated our records to reflect the name change in the attached list of leases.

The name change from Questar Exploration and Production Company into QEP Energy Company is effective June 8, 2010.

cc:

MMS **UDOGM**

AUG 16 2010

DIV. OF OIL, GPS with the

	STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES		FORM 9		
	5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-0806				
SUNDF	RY NOTICES AND REPORTS ON	WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME: UTE		
Do not use this form for proposition-hole depth, reenter plu DRILL form for such proposals.	sals to drill new wells, significantly deepen exisingged wells, or to drill horizontal laterals. Use A	ting wells below current APPLICATION FOR PERMIT TO	7.UNIT or CA AGREEMENT NAME: WONSITS VALLEY		
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: WV 7AML-12-8-21		
2. NAME OF OPERATOR: QEP ENERGY COMPANY			9. API NUMBER: 43047390350000		
3. ADDRESS OF OPERATOR: 11002 East 17500 South , Ver	PHONE N rnal, Ut, 84078 303 308-3068		9. FIELD and POOL or WILDCAT: WONSITS VALLEY		
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1446 FNL 1368 FEL			COUNTY: UINTAH		
QTR/QTR, SECTION, TOWNSHI Qtr/Qtr: SWNE Section: 12	IP, RANGE, MERIDIAN: Township: 08.0S Range: 21.0E Meridian: S		STATE: UTAH		
11. CHE	CK APPROPRIATE BOXES TO INDICATE N	ATURE OF NOTICE, REPORT,	OR OTHER DATA		
TYPE OF SUBMISSION		TYPE OF ACTION			
QEP ENERGY COMPA	CHANGE TO PREVIOUS PLANS CHANGE WELL STATUS DEEPEN OPERATOR CHANGE PRODUCTION START OR RESUME REPERFORATE CURRENT FORMATION TUBING REPAIR WATER SHUTOFF	AR EXTENSION FOR THE VELL.	•		
		1			
NAME (PLEASE PRINT) Jan Nelson	PHONE NUMBER 435 781-4331	TITLE Permit Agent			
SIGNATURE N/A		DATE 2/3/2011			

Sundry Number: 22752 API Well Number: 43047390350000

	STATE OF UTAH		FORM 9
	5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-0806		
SUNDR	RY NOTICES AND REPORTS O	N WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME: UTE
	oposals to drill new wells, significantly do reenter plugged wells, or to drill horizont n for such proposals.		7.UNIT or CA AGREEMENT NAME: WONSITS VALLEY
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: WV 7AML-12-8-21
2. NAME OF OPERATOR: QEP ENERGY COMPANY			9. API NUMBER: 43047390350000
3. ADDRESS OF OPERATOR: 11002 East 17500 South,		PHONE NUMBER: 808-3068 Ext	9. FIELD and POOL or WILDCAT: WONSITS VALLEY
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1446 FNL 1368 FEL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH	HIP, RANGE, MERIDIAN: 12 Township: 08.0S Range: 21.0E Meridia	an: S	STATE: UTAH
11. CHEC	K APPROPRIATE BOXES TO INDICATE	NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
,	ACIDIZE	ALTER CASING	CASING REPAIR
Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
2/8/2013	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT	DEEPEN [FRACTURE TREAT	☐ NEW CONSTRUCTION
Date of Work Completion:	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
SPUD REPORT Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL
DRILLING REPORT	WATER SHUTOFF	SI TA STATUS EXTENSION	✓ APD EXTENSION
Report Date:	WILDCAT WELL DETERMINATION	OTHER	OTHER:
42 DESCRIPE PROPOSED OR	COMPLETED OPERATIONS. Clearly show all		<u> </u>
QEP ENERGY COMPA	ANY HEREBY REQUESTS A ONE APD ON THE ABOVE CAPTIONE	YEAR EXTENSION FOR	Approved by the Utah Division of Oil, Gas and Mining
			Date: February 13, 2012
			By: Bacylll
NAME (PLEASE PRINT)	PHONE NUMBE	R TITLE	
Valyn Davis	435 781-4369	Regulatory Affairs Analyst	
SIGNATURE N/A		DATE 2/6/2012	

Sundry Number: 22752 API Well Number: 43047390350000



The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

Electronic Permitting System - Sundry Notices

Request for Permit Extension Validation Well Number 43047390350000

API: 43047390350000 Well Name: WV 7AML-12-8-21

Location: 1446 FNL 1368 FEL QTR SWNE SEC 12 TWNP 080S RNG 210E MER S

Company Permit Issued to: QEP ENERGY COMPANY

Date Original Permit Issued: 2/8/2007

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

• If located on private land, has the ownership changed, if so, has the surface agreement been updated? Yes No
 Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location? Yes No
• Has there been any unit or other agreements put in place that could affect the permitting or operation of thi proposed well? Yes No
• Have there been any changes to the access route including ownership, or rightof- way, which could affect the proposed location? (Yes (No
• Has the approved source of water for drilling changed? Yes No
• Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation? (Yes (No
• Is bonding still in place, which covers this proposed well? Yes No
nature: Valyn Davis Date: 2/6/2012

Sig

Title: Regulatory Affairs Analyst Representing: QEP ENERGY COMPANY

Sundry Number: 34589 API Well Number: 43047390350000

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill new wells, significantly deepen existing wells below control to the proposals to drill new wells, significantly deepen existing wells below control to the proposals of drill new wells, significantly deepen existing wells below control to the proposals of drill new wells, significantly deepen existing wells below control to the proposals of drill new wells, significantly deepen existing wells below control to the proposals. 1. TYPE OF WELL Gas Well 2. AMEN OF OPERATOR: CPP ENERGY COMPANY 3. AMDESS OF OPERATOR: CPP ENERGY COMPANY 3. ANDESS OF OPERATOR: CPP ENERGY COMPANY 4. MORE OF A CONTROL OF WELL FOOTAGES AT SURFACE; LIGHT TO THE ADDITION OF WELL FOOTAGES AT SURFACE; LIGHT TO THE ADDITION OF WELL FOOTAGES AT SURFACE; LIGHT TO THE ADDITION OF WELL FOOTAGES AT SURFACE; LIGHT TO THE ADDITION OF WELL FOOTAGE AT SURFACE; LIGHT TO THE ADDITION OF WELL FOOTAGE AT SURFACE; LIGHT TO THE ADDITION OF WELL FOOTAGE AT SURFACE; LIGHT TO THE ADDITION OF WELL FOOTAGE AT SURFACE; LIGHT TO THE ADDITION OF WELL FOOTAGE AT SURFACE; LIGHT TO THE ADDITION OF WELL FOOTAGE AT SURFACE; LIGHT TO THE ADDITION OF WELL FOOTAGE AT SURFACE; LIGHT TO THE ADDITION OF WELL FOOTAGE AT SURFACE; LIGHT TO THE ADDITION OF WELL FOOTAGE AT SURFACE; LIGHT TO THE ADDITION OF WELL FOOTAGE AT SURFACE; LIGHT TO THE ADDITION OF WELL FOOTAGE AT SURFACE; LIGHT TO THE ADDITION OF WELL FOOTAGE AT SURFACE; LIGHT TO THE ADDITION OF WELL FOOTAGE AT SURFACE; LIGHT TO THE ADDITION OF WELL				
DIVISION OF CIL., GAS, AND MINING SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-fold depth, rearred plugged wells, or to drill horizontal laterals. Use APPLICATION PROPERTY OF THE PR		STATE OF UTAH		FORM 9
DO NOT USE THIS FORM FOR FORM TO FORM TO FREEDRICH SAND REPORTS ON WELL STORE OF MAIL 12 8-22 DO NOT USE THIS FORM FOR FORM TO FREEDRICH SAND REPORT OF THE PROPERTY NAME: WONSTS VALLEY WITH THE PROPERTY NAME: WONSTS VALLEY		1		
CONTROL DOTRILL FOR THE PLUGGED Wells, or to drill horizontal laterals. Use APPLICATION CONSTRUCTION (NORTR') ADDRESS FOR PERMIT TO BRILL FOR THE PROPERTY COMMENTS AND PROPERTY	SUNDF	RY NOTICES AND REPORTS O	N WELLS	
Sas Well 2. NAME OF DEPARTOR: COPE ENERGY COMPYNY 3. ADDRESS OF OPERATOR: 1. OVERALLY STORES SOUTH VERTILITY STATE STATE 1. OVERALLY STA	current bottom-hole depth,	reenter plugged wells, or to drill horizonta		
ADDRESS OF OPERATOR: 3. ADDRESS OF OPERATOR: 11002 East 17500 South . Vernal, Ut. 84078 303 308-3088 Ext 4. LOCATION OF WELL 17007 OF WELL 17	I .			I .
11-02 East 17500 South , Vernal, Ut; 84078 303 308-3068 Ext COUNTY: LOCATION OF WELL FOOTAGES AT SURFACE: 1446 FR.1 1386 FEL OTROITS, SECTION, TOWNSHIP, RANGE, MERIDIAN: CIT/QIT, SECTION, TOWNSHIP, RANGE, MERIDIAN: CIT/QIT, SWINE Section: 12 Township: 08.05 Range: 21.0E Meridian: S 11- CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION TYPE OF ACTION INTERIOR OF SUBMISSION TYPE OF ACTION ACGUSE ALTER CASING REPAIR OCHANGE TURING				I .
FOOTAGES AT SURFACE: 1446 FN.1 1385 FEL OTRIGITS, SECTION, TOWNSHIP, RANGE, MERIDIAN: OTHORIC, SWINE Section: 12 Township: 08.0S Range: 21.0E Meridian: S 11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION ACIDIZE				1
TATE: UTAH 11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION TYPE OF ACTION ACIDIZE	FOOTAGES AT SURFACE:			1
TYPE OF SUBMISSION TYPE OF ACTION ACIDIZE	QTR/QTR, SECTION, TOWNS		nn: S	I .
A CIDIZE ALTER CASING CASING REPAIR ACIDIZE ALTER CASING CASING REPAIR CHANGE TUBBING CHANGE WELL NAME		K APPROPRIATE BOXES TO INDICATE	NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
A POTICE OF INTEXT Approximated servor will start: 2/8/2014 GHANGE TUBING CHANGE WELL NAME	TYPE OF SUBMISSION		TYPE OF ACTION	
APPERIMANE AND STANKE WILL NAME APPERIMANE AND	7	ACIDIZE	ALTER CASING	CASING REPAIR
CHANGE WELL STATUS	Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
Date of Work Completion: OPERATOR CHANGE	2/0/2014	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
OPERATOR CHANGE		DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION
SPUD REPORT Date of Spudi: REPERFORATE CURRENT FORMATION SIDETRACK TO REPAIR WELL TEMPORARY ABANDON TUBING REPAIR VENT OR FLARE WATER OSSPOSAL VAPO EXTENSION	Jane St. Helik Semplement	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
Date of Spud: REPERFORATE CURRENT FORMATION DIRLILING REPORT Report Date: DIRLILING REPORT REPORT DATE: WATER SHUTOFF WILDCAT WELL DETERMINATION DIFFER 12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. QEP ENERGY COMPANY HEREBY REQUESTS A ONE YEAR EXTENSION FOR THE APD ON THE ABOVE CAPTIONED WELL. DATE: PHONE NUMBER TITLE Valyn Davis Approved by the Utah Division of Oil, Gas and Mining Date: February 19, 2013 By: NAME (PLEASE PRINT) Valyn Davis 435 781-4369 DATE TITLE Regulatory Affairs Analyst SIGNATURE DATE		PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
DRILLING REPORT Report Date: WILDCAT WELL DETERMINATION OTHER: 12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. QEP ENERGY COMPANY HEREBY REQUESTS A ONE YEAR EXTENSION FOR THE APD ON THE ABOVE CAPTIONED WELL. NAME (PLEASE PRINT) Valyn Davis PHONE NUMBER TITLE Regulatory Affairs Analyst SIGNATURE DATE		REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
NAME (PLEASE PRINT) Valyn Davis PHONE NUMBER OTHER OTHER OTHER: Approved by the Uttah Division of Oil, Gas and Mining Date: February 19, 2013 By: NAME (PLEASE PRINT) Valyn Davis Approved by the Uttah Division of Oil, Gas and Mining Date: February 19, 2013 By: NAME (PLEASE PRINT) Valyn Davis Approved by the Uttah Division of Oil, Gas and Mining Date: February 19, 2013 By: NAME (PLEASE PRINT) Valyn Davis Approved by the Uttah Division of Oil, Gas and Mining Date: February 19, 2013 By: NAME (PLEASE PRINT) Valyn Davis DATE		TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL
WILDCAT WELL DETERMINATION		☐ WATER SHUTOFF ☐	SI TA STATUS EXTENSION	✓ APD EXTENSION
RAME (PLEASE PRINT) Valyn Davis NAME (PLEASE PRINT) Valyn Davis PHONE NUMBER Valyn Davis PHONE NUMBER Valyn Davis PHONE NUMBER Regulatory Affairs Analyst SIGNATURE PAPPOVED by the Utah Division of Oil, Gas and Mining Date: February 19, 2013 By: NAME (PLEASE PRINT) PHONE NUMBER Regulatory Affairs Analyst DATE	Nopen Suite	WILDCAT WELL DETERMINATION	OTHER	OTHER:
Valyn Davis 435 781-4369 Regulatory Affairs Analyst SIGNATURE DATE	QEP ENERGY COMPA	ANY HEREBY REQUESTS A ONE	YEAR EXTENSION FOR	Approved by the Utah Division of Oil, Gas and Mining Date: February 19, 2013
SIGNATURE DATE				
	SIGNATURE		DATE	

Sundry Number: 34589 API Well Number: 43047390350000



The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

Electronic Permitting System - Sundry Notices

Request for Permit Extension Validation Well Number 43047390350000

API: 43047390350000 Well Name: WV 7AML-12-8-21

Location: 1446 FNL 1368 FEL QTR SWNE SEC 12 TWNP 080S RNG 210E MER S

Company Permit Issued to: QEP ENERGY COMPANY

Date Original Permit Issued: 2/8/2007

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

• If located on private land, has the ownership changed, if so, has the surface agreement been updated? Yes No
• Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location? Yes No
 Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well? Yes No
• Have there been any changes to the access route including ownership, or rightof- way, which could affect the proposed location? (Yes (No
• Has the approved source of water for drilling changed? 🔘 Yes 🍺 No
• Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation? Yes No
• Is bonding still in place, which covers this proposed well? Yes No
nature: Valyn Davis Date: 2/7/2013

Sig

Title: Regulatory Affairs Analyst Representing: QEP ENERGY COMPANY

Sundry Number: 47584 API Well Number: 43047390350000

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OILL GAS, AND MINING SUNDRY NOTICES AND REPORTS ON WELLS SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill new wells, significantly designs existing wells below correct bottom-horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals. LYPE OF WELL GIS Well S. WELL SHAME OF OPERATOR: CIP ENTRY COMPANY LYPE OF WELL FOOTAGES AT SURFACE: LOCATION OF WELL FOOTAGE OF METER LOCATION OF METER LOCAT				
DIVISION OF OIL, GAS, AND MINING SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reserve higuaged wells, or to drill horizontal laterals. Use APPLICATION PROPERTY OF THE HIGH AND		STATE OF UTAH		FORM 9
DO NOT USE THIS TOWN for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION PROPERTY TO DRILL from for such proposals. 1. TYPE OF WELL 3. NAME OF OPERATOR. CPENERGY COMPANY 3. APINUMBER: 4. APINUM				
COLORIO DO BRILL from for sub proposals. 1.17YPE OF WELL SANCE COMPANY 3. ADDRESS OF OPERATOR: OPE PRINTITY COMPANY 3. ADDRESS OF OPERATOR:	SUNDF	RY NOTICES AND REPORTS O	N WELLS	
Sas Well 2. NAME OF DEPARTOR: CEP ENERGY COMPANY 3. ADDRESS OF OPERATOR: 1. TOOK EAST TYPE OF EXATE 1. TOPE OF SUBMISSION 2. ALCIATION OF WELL 1. TOPE OF SUBMISSION 2. ALCIATION TO WELL 1. TOPE OF SUBMISSION 3. ADDRESS OF OPERATOR: 1. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION 3. ADDRESS OF OPERATOR: 1. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION 3. ACCIDITY 1. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION 3. ACCIDITY 1. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION 4. ACCIDITY 1. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION 4. ACCIDITY 1. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION 4. ACCIDITY 1. CHECK APPROPRIATE OF SUBMISSION 5. ACCIDITY 1. CHECK APPROPRIATE OF SUBMISSION 4. ACCIDITY 1. CHECK APPROPRIATE OF SUBMISSION 5. ACCIDITY 1. CHECK APPROPRIATE OF SUBMISSION 6. CASSIGNERAN	current bottom-hole depth,	reenter plugged wells, or to drill horizonta		
OEP ENERGY COMPANY 3. ADDRESS OF OPERATOR: 1.1002 East 17500 South , Vernal, Ut, 84078 3.03 308-3088 Ext 4. LOCATION OF WELL 17500 TAGES AT SURFACE: 1.146 FNL 1386 FEL 1.146 FNL 1386 FNL 1.146 FN	I .			
1-1002 East 17500 South , Vernal, Ut, 84078 1-1004 TORONG WELL 1-FOOTAGES AT SURFACE: 1-1446 FNL 1388 FEL OTROITS, SECTION, TOWNSHIP, RANGE, MERIDIAN: OIT/QIT, SWINE Section: 12 Township: 08.05 Range: 21.0E Meridian: S 1-1 TYPE OF SUBMISSION TYPE OF ACTION				
FOOTAGES AT SURFACE: 1446 FN.1 1368 FEL OTRICITS, SECTION, TOWNSHIP, RANGE, MERIDIAN: OTHORS, SECTION, SECTION, SECTION, TOWNSHIP, RANGE, MERIDIAN: OTHORS, SECTION, SECTION				
OTHER SECTION, TOWNSHIP, RANGE, MERIDIAN: OTHER SECTION: 12 TOWNSHIP: 08.0S Range: 21.0E Meridian: S 11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION TYPE OF ACTION ACIDIZE	FOOTAGES AT SURFACE:			
TYPE OF SUBMISSION TYPE OF ACTION ACIDIZE	QTR/QTR, SECTION, TOWNS		n: S	
A CIDIZE APPORTURE OF MITCH APPORT MINISTREE APPORTURE TRANS CHANGE TO PREVIOUS PLANS CHANGE TO PREVIOUS PRODUCTION START OR RESUME PRACTURE TREAT NEW CONSTRUCTION PLUG BACK PRODUCTION START OR RESUME RECLAMATION OF WELL SITE RECLAMATION PRODUCTION START OR RESUME SUBSTRACT OR REPAIR WELL TEMPORARY ABARDON WINDS REPAIR WITCH PROPARY ABARDON WINDS REPAIR STATUS EXTENSION OF THE PROPARY ABARDON WINDS REPAIR STATUS EXTENSION OF THE PROPARY ABARDON OTHER WILL PROPARY ABOUT TO THERE WILL PROPARY ABOUT TO THE		K APPROPRIATE BOXES TO INDICATE	NATURE OF NOTICE, REPOF	RT, OR OTHER DATA
ADDITICE OF INTEST Approximate days only will start: 2/8/2015 GHANGE WELL STATUS	TYPE OF SUBMISSION		TYPE OF ACTION	
APPCIATIONS CHANGE WELL STATUS SUBSEQUENT REPORT CHANGE WELL STATUS COMMINGE PRODUCING FORMATIONS CONVERT WELL TYPE	7	ACIDIZE	ALTER CASING	CASING REPAIR
CHANCE WELL STATUS	Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
Date of Work Completion: OPERATOR CHANGE	2/0/2015	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
OPERATOR CHANGE		DEEPEN	FRACTURE TREAT	☐ NEW CONSTRUCTION
SPUD REPORT Date of Spud: REPERFORATE CURRENT FORMATION SIDETRACK TO REPAIR WELL TEMPORARY ABANDON TUBBIG REPAIR VENT OR FLARE WATER DISPOSAL APD EXTENSION APD EXTENSION APD EXTENSION OTHER TUBBIG REPAIR VENT OR FLARE WATER DISPOSAL APD EXTENSION APD EXTENSION OTHER TUBBIG REPAIR OTHER TUBBIG REPAIR TUBBI	Jane St. Helik Semplement	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
Date of Spud: REPERFORATE CURRENT FORMATION SIDETRACK TO REPAIR WELL TEMPORARY ABANDON TUBING REPAIR VENT OR FLARE WATER DISPOSAL WATER SHUTOFF SI TA STATUS EXTENSION APD EXTENSION WILDCAT WELL DETERMINATION OTHER 12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. QEP ENERGY COMPANY HEREBY REQUESTS A ONE YEAR EXTENSION FOR THE APD ON THE ABOVE CAPTIONED WELL. Date: February 12, 2014 By: Date: February 12, 2014 By: SIGNATURE DATE		PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
DRILLING REPORT Report Date: WILDCAT WELL DETERMINATION OTHER 12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. QEP ENERGY COMPANY HEREBY REQUESTS A ONE YEAR EXTENSION FOR THE APD ON THE ABOVE CAPTIONED WELL. NAME (PLEASE PRINT) Valyn Davis PHONE NUMBER TITLE Regulatory Affairs Analyst SIGNATURE DATE		REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
NAME (PLEASE PRINT) Valyn Davis NAME (PLEASE PRINT) Valyn Davis PHONE NUMBER WILDCAT WELL DETERMINATION		TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL
WILDCAT WELL DETERMINATION		WATER SHUTOFF	SI TA STATUS EXTENSION	✓ APD EXTENSION
RAME (PLEASE PRINT) Valyn Davis PHONE NUMBER Valyn Davis PHONE NUMBER Valyn Davis PHONE NUMBER Valyn Davis PHONE NUMBER RECTENSION FOR Utah Division of Oil, Gas and Mining Date: February 12, 2014 By: TITLE Regulatory Affairs Analyst SIGNATURE DATE	Nopen Suite	WILDCAT WELL DETERMINATION	OTHER	OTHER:
Valyn Davis 435 781-4369 Regulatory Affairs Analyst SIGNATURE DATE	QEP ENERGY COMPA	ANY HEREBY REQUESTS A ONE	YEAR EXTENSION FOR	Approved by the Utah Division of Oil, Gas and Mining Date: February 12, 2014
SIGNATURE DATE				
	SIGNATURE		DATE	

Sundry Number: 47584 API Well Number: 43047390350000



The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

Electronic Permitting System - Sundry Notices

Request for Permit Extension Validation Well Number 43047390350000

API: 43047390350000 Well Name: WV 7AML-12-8-21

Location: 1446 FNL 1368 FEL QTR SWNE SEC 12 TWNP 080S RNG 210E MER S

Company Permit Issued to: QEP ENERGY COMPANY

Date Original Permit Issued: 2/8/2007

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

• If located on private land, has the ownership changed, if so, has the surface agreement been updated? Yes No
 Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location? Yes No
• Has there been any unit or other agreements put in place that could affect the permitting or operation of thi proposed well? Yes No
• Have there been any changes to the access route including ownership, or rightof- way, which could affect the proposed location? (Yes (No
• Has the approved source of water for drilling changed? Yes No
• Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation? Yes No
• Is bonding still in place, which covers this proposed well? Yes No
nature: Valyn Davis Date: 2/6/2014

Sig

Title: Regulatory Affairs Analyst Representing: QEP ENERGY COMPANY



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Green River District Vernal Field Office 170 South 500 East Vernal, UT 84078

http://www.blm.gov/ut/st/en/fo/vernal.html

JAN 24 2014

IN REPLY REFER TO: 3160 (UTG011)

Jan Nelson QEP Energy Company 11002 E. 17500 S. Vernal, UT 84078

43 047 39035

Re:

Notice of Expiration

Well No. WV 7AML-12-8-21 SWNE, Sec. 12, T8S, R21E

Uintah County, Utah Lease No. UTU-0806 Wonsits Valley Unit RECEIVED
FEB 2 0 2014

DIV. OF OIL, GAS & MINING

Dear Ms. Nelson:

The Application for Permit to Drill (APD) for the above-referenced well was approved on October 9, 2007. A two (2) year extension of the original APD was requested. The request was reviewed and the extension approved until October 9, 2011. According to our records, no known activity has transpired at the approved location. In view of the foregoing, this office is notifying you that the approval of the referenced application has expired. If you intend to drill at this location in the future, a new Application for Permit to Drill must be submitted.

This office requires a letter confirming that no surface disturbance has been made for this drill site. Any surface disturbance associated with the approved location of this well is to be rehabilitated. A schedule for this rehabilitation must be submitted to this office. Your cooperation in this matter is appreciated.

If you have any questions regarding this matter, please contact Robin R. Hansen at (435) 781-3428.

Sincerely,

/s/ Jerry Kenczka

Jerry Kenczka Assistant Field Manager Lands & Mineral Resources

CC:

UDOGM

bcc:

Well File I&E Asst.



State of Utah

DEPARTMENT OF NATURAL RESOURCES

MICHAEL R. STYLER
Executive Director

Division of Oil, Gas and Mining

JOHN R. BAZA
Division Director

February 26, 2015

Valyn Davis QEP Energy Company 11002 E 17500 S Vernal, UT 84087 43 047 39035 WV 7AML-12-8-21 12 85 ZIE

Re: APDs Rescinded QEP Energy Company, Uintah County

Dear Ms. Davis:

Enclosed find the list of APDs that you asked to be rescinded. No drilling activity at these locations has been reported to the division. Therefore, approval to drill these wells is hereby rescinded as of February 26, 2015.

A new APD must be filed with this office for approval <u>prior</u> to the commencement of any future work on the subject location.

If any previously unreported operations have been performed on this well location, it is imperative that you notify the Division immediately.

Sincerely,

Diana Mason

Environmental Scientist

cc: Well File

Bureau of Land Management, Vernal



4304739035- WV 7AML-12-8-21 4304739036- WV 14BML-12-8-21 4304739037- WV 14B-13-8-21 4304739038- WV 4B-14-8-21 4304739042- WV 7CML-11-8-21